

Solid Hitch



Bucket type: **Digging bucket**

Purpose

Digging bucket with an adapter for a quick coupler, designed for intensive earthworks across a wide range of applications. It performs exceptionally well during foundation excavations, trenching, ground preparation, and other tasks requiring precision and high durability.




Design

The bucket is entirely made of HARDOX 500 TUF steel, ensuring exceptional wear resistance and high strength while maintaining a lower weight compared to standard solutions. It is equipped with CAT J system teeth, and its design ensures optimal filling and efficient dumping of material, increasing work efficiency while reducing the load on the machine.

DB-01T/02T- (0-2T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
DB01T-250	250	15	30	2
DB01T-300	300	20	36	3
DB01T-400	400	32	42	3
DB01T-500	500	35	50	4
DB02T-600	600	48	90	4




* Weight specified without adapter



DB-02T/03T- (2-3T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
DB02T-300	300	33	50	3
DB02T-400	400	39	60	4
DB03T-500	500	46	80	4
DB03T-600	600	53	100	4
DB03T-700	700	66	125	5




* Weight specified without adapter



DB-03T/04T- (3-4T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
DB03T-300	300	45	80	3
DB03T-400	400	55	100	4
DB04T-500	500	63	125	4
DB04T-600	600	75	160	4
DB04T-700	700	86	185	5
DB04T-800	800	96	210	5




* Weight specified without adapter



DB-04T/05T/06T- (4-6T)

Product Code	Width [mm]	Weight* [kg]	Capacity [l]	Teeth [pcs]
DB04T-300	300	48	90	3
DB04T-400	400	63	130	4
DB05T-500	500	73	170	4
DB05T-600	600	83	200	4
DB06T-700	700	96	240	5
DB06T-800	800	106	280	5
DB06T-900	900	115	300	5




* Weight specified without adapter



DB-06T/08T- (6-9T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
DB06T-400	400	83	150	3
DB06T-500	500	97	190	4
DB06T-600	600	109	250	4
DB08T-700	700	121	280	4
DB08T-800	800	136	310	5
DB08T-900	900	148	350	5

* Weight specified without adapter



Bucket type: **Cable bucket**

Purpose

A cable bucket is a specialized attachment designed for digging narrow trenches for cable installations, linear networks, and other tasks that require high precision. It performs particularly well in areas where accurate trench routing and minimal disturbance to the surrounding environment are essential.



Design

The bucket is entirely manufactured from HARDOX 500 TUF steel, which provides excellent abrasion resistance, outstanding strength, and a lower weight compared to standard materials used in work attachments. The model is equipped with a quick-coupler adapter, enabling fast attachment to the machine and improving operator convenience.

CB-01T/02T- (0-2T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
CB01T-250	250	16	30	2
CB02T-300	300	30	44	3



* Weight specified without adapter



CB-02T/03T- (2-3T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
CB02T-300	300	29	55	3
CB03T-300	300	32	70	3



* Weight specified without adapter



CB-04T- (3-4T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
CB04T-300	300	44	65	3
CB04T-400	400	50	80	3



* Weight specified without adapter



CB-05T/06T- (4-6T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
CB05T-300	300	50	90	3
CB06T-400	400	58	130	3

* Weight specified without adapter



CB-06T/08T- (6-9T)

Product Code	Width [mm]	Weight* [kg]	Capacity [t]	Teeth [pcs]
CB06T-300	300	75	130	3
CB08T-400	400	83	160	3

* Weight specified without adapter

